



otomatik kapı ve kepenk sistemleri

The description of the control key to be explained below is varies. Button or remote control details are given below.

After observing that there are no foreign objects in the shutter rails, press the control key.the door starts to roll up and stops.

To close the shutter:

Press the control key once after observing that there is no foreign object on the rails of the shutter. The shutter starts to rotate and stops when closed.

To leave the shutter in the semi-open position:

When opening or closing shutters, press the control key when you are at the level you want the shutter stops at the moment you press it.

IF AUTOMATIC SHUTTER WITH REMOTE CONTROL

Press the control button once and wait for the door to open, shutter above stops automatically when it come to a stopping point. Press to close down your shutters, the shutter stops automatically when it touches the ground.

AUTOMATIC SHUTTER TWO BUTTON BUTTON (TUBE MOTOR SHUTTER)

For button controlled shutters, the shutter operates and stops as long as the button is pressed.

AUTOMATIC SHUTTER ONE-KEY BUTTON

The same function as the button of your single button receiver card controller it provides. The button is pressed once. Push button, door open - close - half open position to receive.

OPERATION OF SAFETY PHOTOCELL OPTION

Safety photocells 50 cm from the ground of the rail mechanism where the automatic door moves hidden in an area high. It consists of two boxes. There is object between two photocell eyes if the door goes down, it stops and starts to go back up. the door does not move down if there is an object under your door.

Instruction book of Tube Motorized Shutter as Manual

Insert the manual lever into the manual ring inlet on the motor. Pushing the manual lever upwards, activate manual operation.

You can move the door by turning the manual lever.
Switch off manual operation by pulling the manual lever down.
Detach the manual lever from the manual ring.

IF THERE ISN'T BOX WHICH FITTING MANUAL LEVER

According to area of setting up automatic shutter mechanism zone inside your shop the manual arm can only be worn from inside the shop if it stays.

After the assembly of automatic door, the manual arm of your shutter in the area where the facade coating is done, arm insertion slot must be opened. Otherwise, Ozbosan can not interfere shutter.

POWER SUPPLY

It is the system that provides the operation of your automatic door in case of power cuts. Power supply

is automatically activated in case of a power cut.

The power supply only consumes energy when the door is commanded. A power supply automatically shows the life time according to the size of the door. Power supply can operating a medium-sized door 2-3 times. when the power come back, the power supply automatically cutout.

IN THE CASE OF POWERCUT AND FAILURE OPENING-CLOSING OF THE SHUTTER IN CHAIN ENGINE

You can open the shutter by manually moving the chain next to the electric engine.

Pull the brake lever down under the engine to lower it door it begins to descend slowly and closes.

INDUSTRIAL TYPES ENGINES (MDF - MFZ)

They are three-phase motors. The three-phase energy line must be installed in the building to be assembled.

Maintenance-free for many years. When power cut, the engine mode becomes manual mode through bottom of engine

by inserting the manual lever into the slot. The control panel of engine is mounted within the user's reach.

In the case of fault of engines, Ozbosan should be called. That's why, the engine is electronic. MDF engines

are produced with German quality. Ozbosan is official dealer of MFZ engines in Turkey.

FREQUENTLY ASKED QUESTION

1) Is the roller shutter is washed with water ?

Answer : No, the roller shutter can not be washed with water. Because the electronic components break down.

2) Aren't steel shutters silent as aluminum shutters?

Answer :

Steel shutters are more sound than aluminum shutters, this is because each panel is made of sheet steel, steel shutters cannot be compared with aluminum shutters.

3) Is it necessary to adjust again if concrete or marble is made on the floor after the shutter installation?

Answer : No, it is not necessary adjustment required for elevations up to 10 cm.

4) I want to use my buttoned shutter as remote control. What can i do?

Answer : It is possible, your button-controlled door can be transformed to a remote controlled shutters.

5) Is the roller shutter safe against theft?

Answer : ÖZBOSAN branded shutters are produced from steel material, resistance to external factors is quite high. the engine part locks the mechanism so, it cannot be lifted up from the bottom.

6) I lost the remote control of my roller shutter, what should I do?

Answer : In such cases, the frequency code of the current controller is changed by ÖZBOSAN and introduce to the receiving card.. This makes your old controls inoperable.

7) I want to reproduce my remote control?

Answer : It is possible. Your remote control can be reproduced as much as you want in ÖZBOSAN.

8) Th roller shutter is slowly opening with the manual arm. What should i do?

Answer : Roller shutter engines is slow. Because, the engines pull heavy loads. In order to open the shutter of the heavy mass, it is true that the arm works with less power in more than one turn. This way you can lower and lift your door with little effort.

9) Kepençe güç kaynağı takılabilir mi?

Answer : Power supply can be installed on roller-shutters.

Condition of Warranty

1.The warranty period is 2 years, start from the delivery of the goods.

2.All parts including the goods are covered by our company's warranty.

3.In case the goods fail within the warranty period, the period of repair time.

The repair period of the goods is maximum 30 working days. This period to the service station of the fault, in the absence of a service station, the seller of the good notification to one of the manufacturer, agent, representative, importer or manufacturer of the starts from.

4.During the warranty period of the goods, both material and workmanship and assembly

In case of malfunction due to defects, labor cost, replacement part cost or repair under any other name without charge.

5.Although the consumer uses the right to repair the goods:

-From the date of delivery to the consumer, Stay within the designated warranty period

within one year; more than two repetitions of the same fault or of failures

occurrence of more than four or within the specified warranty period

the sum of the elements failure to take advantage of the goods

continuous,

-Exceeding the maximum time required for repair,

-If the company's service station does not exist

in turn, from the seller, dealer, agent representative importer or manufacturer-manufacturer

to determine that it is not possible to repair the fault by a report to be issued by someone,

free replacement of goods, in case of a refund or a shame rate

may charge a price reduction.

6.If the product is used in contradiction
Malfunctions are not covered by the warranty.

Ministry of Industry and Trade for problems arising from the warranty certificate
It can apply to the General Directorate of Protection of Consumer and Competition.

DOORS MADE BY ÖZBOSAN AUTOMATIC DOOR SYSTEMS
WARRANTIES ARE EXCLUDED IN THE FOLLOWING
ALL TYPES THAT OUR COMPANY WILL DO TO RE-OPERATE
INTERVENTION (SERVICE-LABOR-PARTS REPLACEMENT) IS CHARGE.

1)FAILURES DUE TO USE ERRORS

- a) Vehicle shock
- b) Lowering with an object under the door
- c) Weight additions to the motor when the door is moving up
- d) Water leakage to electrical and electronic parts

2) FAILURES DUE TO NATURAL DISASTERS

(WATER FLOW, LIGHTNING, EARTHQUAKE, WIND, SNOW ETC ..)

3) THEFT, BY TERROR, ESSENTIAL PERSONS FOR PURPOSE VB
DAMAGE TO THE DOOR

4) KAPININ BULUNDUĞU ELEKTRİK ŞEBEKESİNE YAPILAN MÜDAHALELER

- a) Yüksek voltaj
- b) Faz değişimi
- c) Elektrik kesintisi
- d) Kapının bağlı olduğu şebekeye başka bir cihaz bağlanması

5) EVERY THAT WILL BE MADE TO THE DOOR BY PERSONS OTHER THAN OUR COMPANY ELEMENTS
ADDITIONAL AND INTERVENTION

- a) Photocell, timer, alarm, motor, control, transceiver, power supply etc .. electronic
Addition or replacement of parts
- b) Additions to be made to mechanical parts (lock-bolt installation etc.)
- c) Any intervention by unauthorized persons at the time of failure.

6) BUILDING, SHOP, FACTORY....

THE ELECTRICITY THROUGH THE BRAIN IS CUT TO THE DOOR

Damages that may arise in case of modification.

NO WARRANTIES

OUR PRODUCTS

ROLLER DOORS FOR WORKPLACES AND STORES

INDUSTRIAL TYPE ROLLER DOORS

SECTIONAL DOORS

GARAGE DOORS

FAST ROLLER PVC DOORS

FAST COLLAPSABLE PVC DOORS

PHOTOCELL DOORS

GARDEN GATES

FIRE DOORS

PERSONAL SERVICE DOORS

OUR ASSURANCES

- * 10 YEARS MECHANICAL SPARE PARTS ASSURANCE
- * 2 YEAR PRODUCT WARRANTY
- * 5 YEAR ENGINE MANUFACTURER COMPANY WARRANTY
- * 7/24 SERVICE ASSURANCE
- * QUALITY MANAGEMENT CERTIFICATE
- * AFTER SALES SERVICE COMPETENCE CERTIFICATE (TSE-HYB)
- * TSE CERTIFICATE
- * ISO 9001 QUALITY MANAGEMENT CERTIFICATE
- * OHSAS 18001 OCCUPATIONAL HEALTH AND SAFETY